

Designed for Business **Built for performance**

Every business needs a reliable business partner.
The new L5000 mono laser series helps you maximise print efficiency
and minimise costs so you can make the most of your investment.



HL - L5200DW



MFC - L5900DW

Enhance your productivity and efficiency
with a high-performance mono laser series

The printer that means business.



Designed in Japan, the new Brother L5000 mono laser series is power-packed with features to boost productivity; offering the best possible solution for your business needs.





Built to meet the challenges of your business

Discover how the Brother L5000 series of Printers and Multi-Function Centres can take your productivity to the next level

Built for Reliability

Print as much as you need with a robust and dependable machine with a recommended monthly print cycle of up to **15,000 pages**. All models in the range include a **3 year on-site warranty**.

Built for Savings

All models in the range ship with a super high-yield inbox toner allowing you to print up to **8,000 pages**.¹ Choose from different toner settings to increase your savings when printing.

Built for Productivity

Spend less time reloading paper with the default paper tray of **250 sheets**, **50 sheets multi-purpose tray** PLUS optional paper tray upgrades of **520 x 2** bringing the **total paper capacity up to a maximum of 1,340 sheets**.

Further maximise productivity with these features:

- High print speeds of up to 40ppm
- Up to 56ipm high speed 2-sided scanning²
- Scan and copy multiple pages with a high capacity 70 sheets Automatic Document Feeder.³

¹ Applicable to TN-3467 only, in accordance with ISO/IEC 19752

² Applicable to mono scanning for MFC-L5900DW only, in accordance with ISO/IEC 17991

³ Applicable to MFC-L5900DW only



70 sheets
Dual CIS
Automatic Document Feeder



50 sheets
multi-purpose tray

250 sheets
default paper tray

Paper Level Indicator

520 x 2
Optional paper tray(s)
Optional trays require
additional purchase


MFC-L5900DW



USB direct print*



9.4cm TFT Colour LCD*



User-friendly control panel*



Wireless connectivity**

* Applicable to MFC models only.

** Applicable to HL-L5200DW and MFC-L5900DW only



Simplify business operations and safeguard your documents

Easily manage your Brother network-connected products from one central location using **BRAdmin Professional Software**.

This network management tool allows **remote configurations, monitoring of useful information** such as page counts, toner and drum status. With the option of setting print quotas per user, you can better **control printing costs**. Instant **notification of printer downtime** also lets you attend to the problem before it impacts productivity. What's more, this software features a **suite of security solutions** to assure you of your documents' confidentiality.

Created to prioritise security



Secure Function Lock 3.0*

gives greater control over group or individual usage by allowing an administrator to limit printer functions.



Internet Protocol Security (IPSec)*

encrypts print jobs from the user's computer to the printers.



Print Archive

saves a PDF copy of every print job in a set location for easy E-Documentation.




Secure Reset

removes stored data when reverting the printer to original settings so that company data remains protected.



Active Directory **

enable easy central management of user login authentication in an organisation.



Flexible workflow solutions customised for your business

Tailored solutions that help you meet your business requirements

Brother Special Solutions Customisation (SSC)

Through careful collaborations, we help you to modify your Brother products or design the best solution that improves your workflow functions.

- Customised software, print drivers and firmware
- Automating installation and deployment of print drivers and software packages
- Pre-configured devices prior to shipment - to ensure they arrive ready to operate, right out of the box

The Brother Solutions Interface (BSI)

A web-based service platform that allows software developers to easily create customised solutions to help you overcome specific business challenges.

- Integrating cost tracking applications for print management
- Securing access to device functions, user interface messages and support for network authentication
- Improved document management, security, workflow and e-forms solutions

* Applicable to all models

** Applicable to MFC-L5700DN and MFC-L5900DW only

Professional Line-up for your Business

Whatever your business needs may be, there's a suitable mono laser machine for you.



HL-L5200DW



Up to
40ppm



Auto 2-sided
Print



512 MB
Memory



Ethernet



SFL 3.0



Wireless
Connectivity



MFC-L5700DN



Up to
40ppm



Auto 2-sided
Print



512 MB
Memory



Ethernet



SFL 3.0



9.4cm TFT
LCD



50-sheet
ADF



Fax



MFC-L5900DW



Up to
40ppm



Auto 2-sided
Print, Scan
& Copy



1 GB
Memory



Gigabit
Ethernet



SFL 3.0



9.4cm TFT
LCD



70-sheet
Dual CIS ADF



Auto
2-sided
Fax



Wireless
Connectivity

Built for Mobile Convenience

Integrating mobile devices into your workflow has never been easier. With Brother iPrint&Scan, Apple AirPrint®, and Google Cloud Print™, you can print wirelessly straight from your mobile device.

- Print JPEGs and PDFs
- Scan to JPEG
- Preview Copy / Fax
- Save to iCloud for Apple products

**Supplies
available with
this range**



TN-3437
8k pages
High-Yield
Toner



TN-3467
12k pages
Super High-Yield
Toner



DR-3405
50k pages
Drum

Approx yields based on ISO/IEC 19752. Declared drum yield based on 3 page/job.

	Single-Function HL-L5200DW	Multi-Function MFC-L5700DN
Key Functions	Automatic 2-sided Print, Network, Wireless	Automatic 2-sided Print, Network
PRINT FUNCTIONS		
Print Speed	Up to 40 ppm	Up to 40 ppm
Duty cycle (A4 print, monthly)	50,000 maximum / 15,000 recommended	50,000 maximum / 15,000 recommended
Print Resolution	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi
First Print Out Time (Ready)	Less than 7.2 secs	Less than 7.2 secs
2-sided Feature	Automatic 2-sided Print	Automatic 2-sided Print
Special Print Functions	N-in-1 Printing Poster Printing (Windows® only) Watermark Printing (Windows® only) Header-Footer Printing (Windows® only), Secure Print	N-in-1 Printing Poster Printing (Windows®) Watermark Printing (Windows®) Header-Footer Printing (Windows®), Secure Print
Print Language	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0
Quiet Mode	Yes	Yes
COPY FUNCTIONS		
Copy Speed	-	Up to 40 cpm
Copy Resolution	-	1200 x 600dpi
Reduction / Enlargement Ratio	-	25% - 400% in 1% increments
Multi Copy / Stack	-	Up to 99 copies
SCAN FUNCTIONS		
Scan Type	-	Monochrome / Colour - ADF or Flatbed
Dual Scanner (Method)	-	No (CIS)
Resolution (Optical / Enhanced)	-	Up to 1200 x 1200 dpi / Up to 19,200 x 19,200 dpi
Scan Functions	-	Scan to Email, Image, OCR, File, Email Server (Download only) FTP, SFT, USB and Network (Windows® only)
Scanning Speed (Mono/Color) Multiple sheets	-	Up to 24/20 ipm**
FAX FUNCTIONS		
Modem Speed	-	33.6Kbps
Transmission Speed (Mono)	-	Approx. 2.5 Secs (ITU-T Test Chart, Std Resolution, JBIG)
Memory Transmission / Out-of paper reception	-	Up to 500 pages (ITU-T Test Chart, Std Resolution, JBIG)
Speed Dial	-	300 Locations
Group Dials	-	20 Groups
Broadcasting	-	350 Locations
PC Fxing	-	Windows®, Mac® [FaxShare Software by Brother], Linux® [LPR / CUPS PC-FAX Send Driver] Receiving (Available for Windows®)
Other Fax Features	-	Internet Fax*** (Simple mode), Auto Reduction, Delay Timer (Up to 50), Error Correction Mode, Fax Retrieval, Remote Access, Quick Scan (Approx. 2.5 Sec), Fax Forward
PAPER HANDLING		
Input Tray (Standard)	250 Sheets	250 Sheets
Multi-Purpose Tray / Manual Slot	50 Sheets	50 Sheets
Output Tray (Face Down)	150 Sheets	150 Sheets
Optional Paper Tray (Input)	520 sheets (LT-6500) x 2 trays (Max. 1,040 sheets)	520 sheets (LT-6500) x 2 trays (Max. 1,040 sheets)
Automatic Document Feeder (ADF)	-	50-Sheets
Media Size (Standard Tray)	A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal	A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal
OTHERS		
Memory	512MB	512MB
Processor Speed	Cortex-A9 (800MHz)	Cortex-A9 (800MHz)
Display	16 characters x 1 line LCD	9.4cm TFT Colour LCD
Windows® (Host-Based)	Windows® Vista, XP, 7, 8, 8.1, 10	Windows® Vista, XP, 7, 8, 8.1, 10
Apple Mac®	Mac OS X v10.8.5, 10.9.x, 10.10.x (Download only)	Mac® OS X v10.8.5, 10.9.x, 10.10.x (Download only)
Linux® (Linux® Printer Driver)	CUPS, LPD/LPRng (x86/x64 environment)	CUPS, LPD/LPRng (x86/x64 environment)
Universal Printer Driver	Yes (BRScript / PCL)	Yes (BRScript / PCL)
Connectivity / Networking	Built-in Ethernet 10/100 Base-TX Hi-Speed USB 2.0 Airprint, Google cloud print WIFI Direct	Built-in Ethernet 10/100 Base-TX Hi-Speed USB 2.0 Airprint, Google cloud print
Power Consumption (Sleep/Ready)	6.5W/32W	7.5W / 34W
Power Source	220-240V, AC 50/60Hz	220-240V, AC 50/60Hz
Webconnect (Brother's App)	-	Yes
SUPPLIES		
Inbox Toner	8,000 pages*	8,000 pages*
High-Yield Toner	TN-3437: Approximately 8,000 pages*	TN-3437: Approximately 8,000 pages*
Super High-Yield Toner	TN-3467: Approximately 12,000 pages*	TN-3467: Approximately 12,000 pages*
Drum	DR-3405: Approximately 50,000 pages* (3 pages/job)	DR-3405: Approximately 50,000 pages* (3 pages/job)
DIMENSIONS & WEIGHT		
Machine Dimension (W X D X H)	373 x 388 x 255 mm	435 x 427 x 486 mm
W/O Carton & with Toner & Drum	10.7KG with out Supplies 11.1KG with supplies	16.5KG with out Supplies 16.5KG with supplies
SUPPORT		
Warranty	3 year on site	3 year on site

* In accordance with ISO/IEC 17952.

** In accordance with ISO/IEC 17991

*** Optional free download available from <http://solutions.brother.com>

Multi-Function

MFC-L5900DW

Automatic 2-sided Print, Network, Wireless

Up to 40 ppm

50,000 maximum / 15,000 recommended

Up to 1200 x 1200 dpi

Less than 7.2 secs

Automatic 2-sided Print

N-in-1 Printing

Poster Printing (Windows®)

Watermark Printing (Windows®)

Header-Footer Printing (Windows®), Secure Print

PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0

Yes

Up to 40 cpm

1200 x 600dpi

25% - 400% in 1% increments

Up to 99 copies

Monochrome / Colour - ADF or Flatbed

Yes (Dual CIS)

Up to 1200 x 1200 dpi / Up to 19,200 x 19,200 dpi

Scan to Email, Image, OCR, File, Email Server, FTP, SFT, USB and Network (Windows® only)

Up to 28/20 ipm**

33.6Kbps Super G3

Approx. 2.5 Secs (ITU-T Test Chart, Std Resolution, JBIG)

Up to 500 pages (ITU-T Test Chart, Std Resolution, JBIG)

300 Locations

20 Groups

350 Locations

Windows®, Mac® [FaxShare Software by Brother], Linux® [LPR / CUPS PC-FAX Send Driver] Receiving (Available for Windows®)

Duplex Fax Send, Internet Fax (Simple mode), Auto Reduction, Delay Timer (Up to 50), Error Correction Mode, Fax Retrieval, Remote Access, Quick Scan (Approx. 2.5 Sec), Fax Forward

250 Sheets

50 Sheets

150 Sheets

520 sheets (LT-6500) x 2 pcs (Max. 1,040 sheets)

70-Sheets

A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal

1GB

Cortex-A9 (800MHz)

9.4cm TFT Colour LCD

Windows® Vista, XP, 7, 8, 8.1, 10

Mac® OS X v10.8.5, 10.9.x, 10.10.x (Download only)

CUPS, LPD/LPRng (x86/x64 environment)

Yes (BRScript / PCL)

Built-in Wireless 802.11b/g/n

Wi-Fi Direct, Built-in Gigabit Ethernet 10Base-T/100Base-TX/1000 Base-T

Hi-Speed USB 2.0

Airprint, Google cloud print

7.5W / 34W

220-240V, AC 50/60Hz

Yes

8,000 pages*

TN-3437: Approximately 8,000 pages*

TN-3467: Approximately 12,000 pages*

DR-3405: Approximately 50,000 pages*

495 x 427 x 486 mm

17.7KG with supplies

3 year on site



LT - 6500

520 sheet optional paper tray supports up to **2 x 520 sheet** paper tray

Optional trays require additional purchase

brother
at your side

Brother International South Africa

96 Sovereign Drive, Route 21 Corporate Park, Irene
Tel: +27 (0) 12 - 345 5332 Fax: +27 (0) 12 - 345 3886

www.brother.co.za

support.brother.com



Brother
Earth

Working with you for a better environment
www.brotherearth.com

